

Air Pollution Bibliography

- Adonis, M., & Gil, L. (2001). Indoor air pollution in a zone of extreme poverty of metropolitan Santiago, Chile. *Indoor and Built Environment*, 10(3-4), 138-146.
- Albalak, R., Bruce, N., McCracken, J. P., Smith, K. R., & De Gallardo, T. (2001). Indoor respirable particulate matter concentrations from an open fire, improved cookstove, and LPG/open fire combination in a rural Guatemalan community. *Environmental science & technology*, 35(13), 2650-2655.
- Alberini, A., & Krupnick, A. (1997). Air pollution and acute respiratory illness: evidence from Taiwan and Los Angeles. *American Journal of Agricultural Economics*, 79(5), 1620-1624.
- Alberini, A., & Krupnick, A. (1998). Air quality and episodes of acute respiratory illness in Taiwan cities: Evidence from survey data. *Journal of Urban Economics*, 44(1), 68-92.
- Alberini, A., & Krupnick, A. (2000). Cost-of-illness and willingness-to-pay estimates of the benefits of improved air quality: evidence from Taiwan. *Land Economics*, 37-53.
- Alberini, A., Cropper, M., Fu, T. T., Krupnick, A., Liu, J. T., Shaw, D., & Harrington, W. (1997). Valuing health effects of air pollution in developing countries: the case of Taiwan. *Journal of Environmental Economics and Management*, 34(2), 107-126.
- Alberini, A., Cropper, M., Fu, T. T., Krupnick, A., Liu, J. T., Shaw, D., & Harrington, W. (1997). Valuing health effects of air pollution in developing countries: the case of Taiwan. *Journal of Environmental Economics and Management*, 34(2), 107-126.
- Ali, M., & Athar, M. (2008). Air pollution due to traffic, air quality monitoring along three sections of National Highway N-5, Pakistan. *Environmental monitoring and Assessment*, 136(1-3), 219-226.
- Ali, M., & Athar, M. (2010). Impact of transport and industrial emissions on the ambient air quality of Lahore City, Pakistan. *Environmental monitoring and assessment*, 171(1-4), 353-363.
- Ali, Z., Rauf, A., Sidra, S., Nasir, Z. A., & Colbeck, I. AIR QUALITY (PARTICULATE MATTER) AT HEAVY TRAFFIC SITES IN LAHORE, PAKISTAN.

- Arcenas, A., Bojö, J., Larsen, B. R., & Ruiz Ñunez, F. (2010). The economic costs of indoor air pollution: New results for Indonesia, the Philippines, and Timor-Leste. *Journal of Natural Resources Policy Research*, 2(1), 75-93.
- Aunan, K., Pátzay, G., Aaheim, H. A., & Seip, H. M. (1998). Health and environmental benefits from air pollution reductions in Hungary. *Science of the Total Environment*, 212(2), 245-268.
- Avakian, M. D., Dellinger, B., Fiedler, H., Gullet, B., Koshland, C., Marklund, S., & Schwartz, D. (2002). The origin, fate, and health effects of combustion by-products: a research framework. *Environmental health perspectives*, 110(11), 1155.
- Aziz, A., & Bajwa, I. U. (2008). Erroneous mass transit system and its tended relationship with motor vehicular air pollution (An integrated approach for reduction of urban air pollution in Lahore). *Environmental monitoring and assessment*, 137(1-3), 25-33.
- Balakrishnan, K., Sambandam, S., Ramaswamy, P., Mehta, S., & Smith, K. R. (2004). Exposure assessment for respirable particulates associated with household fuel use in rural districts of Andhra Pradesh, India. *Journal of Exposure Science and Environmental Epidemiology*, 14, S14-S25.
- Beattie, C. I., Longhurst, J. W. S., & Woodfield, N. K. (2001). Air quality management: evolution of policy and practice in the UK as exemplified by the experience of English local government. *Atmospheric Environment*, 35(8), 1479-1490.
- Boleij, J. S., Ruigewaard, P., Hoek, F., Thairu, H., Wafula, E., Onyango, F., & De Koning, H. (1989). Domestic air pollution from biomass burning in Kenya. *Atmospheric Environment* (1967), 23(8), 1677-1681.
- Boy, E., Bruce, N., Smith, K. R., & Hernandez, R. (2000). Fuel efficiency of an improved wood-burning stove in rural Guatemala: implications for health, environment and development. *Energy for Sustainable Development*, 4(2), 23-31.
- Bresnahan, B. W., Dickie, M., & Gerking, S. (1997). Averting behavior and urban air pollution. *Land Economics*, 340-357.

- Bruce, N., McCracken, J., Albalak, R., Schei, M., Smith, K. R., Lopez, V., & West, C. (2004). Impact of improved stoves, house construction and child location on levels of indoor air pollution exposure in young Guatemalan children. *Journal of Exposure Science and Environmental Epidemiology*, 14, S26-S33.
- Chaaban, F. B., Nuwayhid, I., & Djoundourian, S. (2001). A study of social and economic implications of mobile sources on air quality in Lebanon. *Transportation Research Part D: Transport and environment*, 6(5), 347-355.
- Chen, A., & Vine, E. L. (1999). A scoping study on the costs of indoor air quality illnesses: an insurance loss reduction perspective. *Environmental Science & Policy*, 2(6), 457-464.
- Chestnut, L. G., Ostro, B. D., & Vichit-Vadakan, N. (1997). Transferability of air pollution control health benefits estimates from the United States to developing countries: evidence from the Bangkok study. *American Journal of Agricultural Economics*, 79(5), 1630-1635.
- Colbeck, I., Nasir, Z. A., & Ali, Z. (2010). The state of ambient air quality in Pakistan—a review. *Environmental Science and Pollution Research*, 17(1), 49-63.
- Colbeck, I., Nasir, Z. A., Hasnain, S., & Sultan, S. (2008). Indoor air quality at rural and urban sites in Pakistan. *Water, Air, & Soil Pollution: Focus*, 8(1), 61-69.
- Cropper, M. L., Simon, N. B., Alberini, A., Arora, S., & Sharma, P. K. (1997). The health benefits of air pollution control in Delhi. *American Journal of Agricultural Economics*, 79(5), 1625-1629.
- Dasgupta, S., Huq, M., Khaliqzaman, M., Meisner, C., Pandey, K., & Wheeler, D. (2004). Monitoring indoor air pollution. *World Bank, Washington DC*.
- Desai, M. A., Mehta, S., & Smith, K. (2004). Indoor smoke from solid fuels. *Assessing the environmental burden of disease at national and local levels. Environmental Burden of Disease Series*, (4), 675-740.
- Desai, M. A., Mehta, S., & Smith, K. (2004). Indoor smoke from solid fuels. *Assessing the environmental burden of disease at national and local levels. Environmental Burden of Disease Series*, (4), 675-740.

- Dinda, S., Coondoo, D., & Pal, M. (2000). Air quality and economic growth: an empirical study. *Ecological Economics*, 34(3), 409-423.
- Dutta, S., & Banerjee, S. (2013). Indoor Air Pollution and Incidence of Morbidity: A Study on Urban West Bengal. In *Development and Sustainability* (pp. 497-520). Springer India.
- El-Fadel, M., & Massoud, M. (2000). Particulate matter in urban areas: health-based economic assessment. *Science of the Total Environment*, 257(2), 133-146.
- Englert, N. (1999). Time-series analyses and cohort studies to investigate relationships between particulate matter and mortality—two approaches to one endpoint. *Journal of Environmental Medicine*, 1(4), 291-296.
- Eskeland, G. S. (1997). Air pollution requires multipollutant analysis: the case of Santiago, Chile. *American Journal of Agricultural Economics*, 79(5), 1636-1641.
- Ezzati, M., & Kammen, D. M. (2001). Quantifying the effects of exposure to indoor air pollution from biomass combustion on acute respiratory infections in developing countries. *Environmental health perspectives*, 109(5), 481.
- Ezzati, M., & Kammen, D. M. (2002). Household energy, indoor air pollution, and health in developing countries: knowledge base for effective interventions. *Annual review of energy and the environment*, 27(1), 233-270.
- Firdaus, G., & Ahmad, A. (2011). Indoor air pollution and self-reported diseases—a case study of NCT of Delhi. *Indoor air*, 21(5), 410-416.
- Gerking, S., & Stanley, L. R. (1986). An economic analysis of air pollution and health: the case of St. Louis. *The Review of Economics and Statistics*, 115-121.
- Ghauri, B., Lodhi, A., & Mansha, M. (2007). Development of baseline (air quality) data in Pakistan. *Environmental Monitoring and Assessment*, 127(1-3), 237-252.
- Gielen, D., & Changhong, C. (2001). The CO₂ emission reduction benefits of Chinese energy policies and environmental policies: A case study for Shanghai, period 1995–2020. *Ecological Economics*, 39(2), 257-270.

- Hashmi, D. R., Shaikh, G. H., & Usmani, T. H. (2005). Air quality in the atmosphere of Karachi city-an overview.
- Heinz, I. (1990). Cutting the costs in the health service by reducing air pollution levels. *Journal of the Royal Statistical Society. Series D (The Statistician)*, 39(3), 217-227.
- Huq, M., Dasgupta, S., Khaliquzzaman, M., Pandey, K. D., & Wheeler, D. (2004). Who suffers from indoor air pollution? Evidence from Bangladesh. *Evidence from Bangladesh (October 2004). World Bank Policy Research Working Paper*, (3428).
- Huq, M., Dasgupta, S., Khaliquzzaman, M., Pandey, K. D., & Wheeler, D. (2004). Indoor air quality for poor families: new evidence from Bangladesh. *World Bank Policy Research Working Paper*, (3393).
- Ilyas, S. Z., Khattak, A. I., Nasir, S. M., Qurashi, T., & Durrani, R. (2010). Air pollution assessment in urban areas and its impact on human health in the city of Quetta, Pakistan. *Clean Technologies and Environmental Policy*, 12(3), 291-299.
- Ilyas, S. Z., Nasir, S. M., & Raza, S. M. (2008). Air pollution problems and diseases caused by hazardous gases in Quetta, Pakistan. *Journal of Applied Sciences and Environmental Management*, 12(1).
- Jafary, Z. A., & Faridi, I. A. (2006). Air pollution by roadside dust and automobile exhaust at busy road crossings of Lahore. *Pak. J. Physiol*, 2(2), 31-34.
- Jahn, H. J., Schneider, A., Breitner, S., Eißner, R., Wendisch, M., & Krämer, A. (2011). Particulate matter pollution in the megacities of the Pearl River Delta, China—A systematic literature review and health risk assessment. *International journal of hygiene and environmental health*, 214(4), 281-295.
- Khan, T. A., & Zaidi, A. K. (2006). Indoor air pollution and child health in Pakistan: report of a seminar held at the Aga Khan University Karachi Pakistan 29 September 2005.
- Kwak, S. J., Yoo, S. H., & Kim, T. Y. (2001). A constructive approach to air-quality valuation in Korea. *Ecological Economics*, 38(3), 327-344.

- Larson, B. A., & Rosen, S. (2002). Understanding household demand for indoor air pollution control in developing countries. *Social science & medicine*, 55(4), 571-584.
- Larson, B. A., Avaliani, S., Golub, A., Rosen, S., Shaposhnikov, D., Strukova, E., & Wolff, S. K. (1999). The economics of air pollution health risks in Russia: a case study of Volgograd. *World Development*, 27(10), 1803-1819.
- Majid, H., Madl, P., & Alam, K. (2012). Ambient air quality with emphasis on roadside junctions in metropolitan cities of Pakistan and its potential health effects. *Health*, 3(3), 79-85.
- McCracken, J. P., & Smith, K. R. (1998). Emissions and efficiency of improved woodburning cookstoves in Highland Guatemala. *Environment International*, 24(7), 739-747.
- McCubbin, D. R., & Delucchi, M. A. (1999). The health costs of motor-vehicle-related air pollution. *Journal of Transport Economics and Policy*, 253-286.
- Mishra, V. (2003). Indoor air pollution from biomass combustion and acute respiratory illness in preschool age children in Zimbabwe. *International Journal of Epidemiology*, 32(5), 847-853.
- Mishra, V., Dai, X., Smith, K. R., & Mika, L. (2004). Maternal exposure to biomass smoke and reduced birth weight in Zimbabwe. *Annals of epidemiology*, 14(10), 740-747.
- Mitchell, G., & Dorling, D. (2003). An environmental justice analysis of British air quality. *Environment and planning A*, 35(5), 909-929.
- Naeher, L. P., Smith, K. R., Leaderer, B. P., Mage, D., & Grajeda, R. (2000). Indoor and outdoor PM_{2.5} and CO in high-and low-density Guatemalan villages. *Journal of exposure analysis and environmental epidemiology*, 10(6), 544-551.
- Naeher, L. P., Smith, K. R., Leaderer, B. P., Neufeld, L., & Mage, D. T. (2001). Carbon monoxide as a tracer for assessing exposures to particulate matter in wood and gas cook stove households of highland Guatemala. *Environmental science & technology*, 35(3), 575-581.
- Ngoc, N. T., Norimichi, T., & Hien, T. T. (2015). Improved Air Quality-Willingness to Pay. *Environmental Policy and Law*, 45(1), 40.

- Niaz, Y., Jiti, Z., & Zhang, Y. (2015). Influence of automotive emission on air pollution using GIS in Faisalabad, Pakistan. *International Journal of Agricultural and Biological Engineering*, 8(1), 111.
- O'ryan, R. E. (1996). Cost-effective policies to improve urban air quality in Santiago, Chile. *Journal of Environmental Economics and Management*, 31(3), 302-313.
- Ostro, B. D. (1994). *Estimating the health effects of air pollutants: a method with an application to Jakarta* (Vol. 1301). World Bank Publications.
- Ostro, B. D. (1998). *Air pollution and health effects: a study of respiratory illness among children in Santiago, Chile* (Vol. 1932). World Bank Publications.
- Ostro, B., Sanchez, J. M., Aranda, C., & Eskeland, G. S. (1995). Air pollution and mortality: results from a study of Santiago, Chile. *Journal of exposure analysis and environmental epidemiology*, 6(1), 97-114.
- Parikh, J., Balakrishnan, K., Laxmi, V., & Biswas, H. (2001). Exposure from cooking with biofuels: pollution monitoring and analysis for rural Tamil Nadu, India. *Energy*, 26(10), 949-962.
- Pearce, D. (1996). Economic valuation and health damage from air pollution in the developing world. *Energy Policy*, 24(7), 627-630.
- Pearce, D., & Crowards, T. (1996). Particulate matter and human health in the United Kingdom. *Energy Policy*, 24(7), 609-619.
- Pino, P., Oyarzún, M., Walter, T., Von Baer, D., & Romieu, I. (1998). [Indoor air pollution in southeast Santiago, Chile]. *Revista médica de Chile*, 126(4), 367-374.
- Pitt, M. M., Rosenzweig, M. R., & Hassan, M. N. (2006, June). Sharing the burden of disease: Gender, the household division of labor and the health effects of indoor air pollution in Bangladesh and India. In *Stanford Institute for Theoretical Economics Summer Workshop* (Vol. 202).

- Pokhrel, A. K., Smith, K. R., Khalakdina, A., Deuja, A., & Bates, M. N. (2005). Case-control study of indoor cooking smoke exposure and cataract in Nepal and India. *International Journal of Epidemiology*, 34(3), 702-708.
- Qadir, N. F. (2002). Air quality management in Pakistani cities: Trends and challenges. *Better Air Quality in Asian and Pacific Rim Cities*, 16-18.
- Qasim, M., Bashir, A., Anees, M. M., Ghani, M. U., Khalid, M., Malik, J., & Kokab, A. (2014). Health Risk Assessment of Indoor Air Quality in Developing Countries. *Asian Journal of Management Sciences & Education Vol*, 3(2).
- Rai, R., Rajput, M., Agrawal, M., & Agrawal, S. B. (2011). Gaseous air pollutants: a review on current and future trends of emissions and impact on agriculture. *Journal of Scientific Research*, 55, 77-102.
- Rasheed, A., Aneja, V. P., Aiyyer, A., & Rafique, U. (2014). Measurements and analysis of air quality in Islamabad, Pakistan. *Earth's Future*, 2(6), 303-314.
- Rasheed, A., Aneja, V. P., Aiyyer, A., & Rafique, U. (2015). Measurement and analysis of fine particulate matter (PM_{2.5}) in urban areas of Pakistan. *Aerosol Air Qual. Res*, 15, 426-439.
- Romieu, I., Weitzenfeld, H., & Finkelman, J. (1989). Urban air pollution in Latin America and the Caribbean: health perspectives. *World health statistics quarterly. Rapport trimestriel de statistiques sanitaires mondiales*, 43(3), 153-167.
- Rozan, A. (2001). How to measure health costs induced by air pollution?. *Revue Suisse d'Economie Politique et de Statistique*, 137(1), 103-116.
- Schei, M. A., Hessen, J. O., Smith, K. R., Bruce, N., McCracken, J., & Lopez, V. (2004). Childhood asthma and indoor woodsmoke from cooking in Guatemala. *Journal of Exposure Science and Environmental Epidemiology*, 14, S110-S117.
- Schwela, D., Haq, G., & Uddin, M. A. A Strategic Approach for Air Pollution Reduction in Karachi.
- Shaw, D., Fu, T. T., Li, L. A., Pan, W. H., & Liu, J. T. (1996). 5. Acute Health Effects of Major Air Pollutants in Taiwan. *The Economics of Pollution Control in the Asia Pacific*, 78.

- Sipes, K. N., & Mendelsohn, R. (2001). The effectiveness of gasoline taxation to manage air pollution. *Ecological Economics*, 36(2), 299-309.
- Smith, K. R. (1993). Fuel combustion, air pollution exposure, and health: the situation in developing countries. *Annual Review of Energy and the Environment*, 18(1), 529-566.
- Smith, K. R. (2000). National burden of disease in India from indoor air pollution. *Proceedings of the National Academy of Sciences*, 97(24), 13286-13293.
- Smith, K. R. (2002). Indoor air pollution in developing countries: recommendations for research. *Indoor air*, 12(3), 198-207.
- Smith, K. R., & Mehta, S. (2003). The burden of disease from indoor air pollution in developing countries: comparison of estimates. *International journal of hygiene and environmental health*, 206(4), 279-289.
- Smith, K. R., Mehta, S., & Maeusezahl-Feuz, M. (2004). Indoor air pollution from household use of solid fuels. *Comparative quantification of health risks: global and regional burden of disease attributable to selected major risk factors*, 2, 1435-93.
- Smith, K. R., Samet, J. M., Romieu, I., & Bruce, N. (2000). Indoor air pollution in developing countries and acute lower respiratory infections in children. *Thorax*, 55(6), 518-532.
- Smith-Sivertsen, T., Díaz, E., Bruce, N., Díaz, A., Khalakdina, A., Schei, M. A., & Smith, K. R. (2004). Reducing indoor air pollution with a randomised intervention design-. *Norsk Epidemiologi*, 14(2), 137-143.
- Sughis, M., Nawrot, T. S., Ihsan-ul-Haque, S., Amjad, A., & Nemery, B. (2012). Blood pressure and particulate air pollution in schoolchildren of Lahore, Pakistan. *BMC Public Health*, 12(1), 378.
- Tanveer, Z., Ilyas, H., Akhtar, S. N., & Shaffique, K. (2015). Outdoor Air Pollution: A Case Study of Gujrat City. *Issues*, 3(2).
- Thanh, B. D., & Lefevre, T. (2000). Assessing health impacts of air pollution from electricity generation: the case of Thailand. *Environmental Impact Assessment Review*, 20(2), 137-158.

- uz Zaman, M. Q. (1999). Valuing Environmental Costs due to Automobile Pollution in Pakistan
M. Qamar uz Zaman. *THE LAHORE JOURNAL*, 4(1), 23.
- Von Schirnding, Y. (2002). *Addressing the Impact of Household Energy and Indoor Air Pollution on the Health of Poor: Implications for Policy Action and Intervention Measures*. Geneva, Switzerland: World Health Organization.
- Wing, S., Horton, R. A., & Rose, K. M. (2013). Air pollution from industrial swine operations and blood pressure of neighboring residents. *Environmental Health Perspectives (Online)*, 121(1), 92.
- World Health Organization. Regional Office for Europe, & World Health Organization. (2006). *Air quality guidelines: global update 2005: particulate matter, ozone, nitrogen dioxide, and sulfur dioxide*. World Health Organization.
- World Health Organization. Regional Office for Europe, & World Health Organization. (2006). *Air quality guidelines: global update 2005: particulate matter, ozone, nitrogen dioxide, and sulfur dioxide*. World Health Organization.
- Yang, C. Y., Chiu, J. F., Cheng, M. F., & Lin, M. C. (1997). Effects of indoor environmental factors on respiratory health of children in a subtropical climate. *Environmental research*, 75(1), 49-55.
- Zhang, J., & Smith, K. R. (1999). Emissions of carbonyl compounds from various cookstoves in China. *Environmental Science & Technology*, 33(14), 2311-2320.
- Zhang, J., Smith, K. R., Ma, Y., Ye, S., Jiang, F., Qi, W., & Thorneloe, S. A. (2000). Greenhouse gases and other airborne pollutants from household stoves in China: a database for emission factors. *Atmospheric Environment*, 34(26), 4537-4549.
- Zhang, J., Smith, K. R., Uma, R., Ma, Y., Kishore, V. V. N., Lata, K., & Thorneloe, S. T. (1999). Carbon monoxide from cookstoves in developing countries: 1. Emission factors. *Chemosphere-Global Change Science*, 1(1), 353-366.